Author Index Vol. 753

Anderson, D.J., see Liu, Y. 753(1996)63

Barrefors, G., Björkqvist, S., Ramnäs, O. and Petersson, G.
Gas chromatographic separation of volatile furans from birchwood smoke 753(1996)151

Bartle, K.D., see Heaton, D.M. 753(1996)306

Battinelli, L., Cernia, E., Delbò, M., Ortaggi, G., Pala, A. and Soro, S.
New class of poly(vinyl alcohol) polymers as column-chromatography stationary phases for *Candida rugosa* lipase isoforms separation 753(1996)47

Bell, C.M., Sander, L.C., Fetzer, J.C. and Wise, S.A.
Synthesis and characterization of extended length alkyl stationary phases for liquid chromatography with application to the separation of carotenoid isomers 753(1996)37

Berna, P.P. and Porath, J.
Cyanocarbons as ligands for electron donor acceptor chromatography of human serum proteins 753(1996)57

Billiet, H.A.H., see Corstjens, H. 753(1996)127

Björkqvist, S., see Barrefors, G. 753(1996)151

Bocchi, C., Careri, M., Groppi, F., Mangia, A., Manini, P. and Mori, G.
Comparative investigation of UV, electrochemical and particle beam mass spectrometric detection for the high-performance liquid chromatographic determination of benzoic and cinnamic acids and of their corresponding phenolic acids 753(1996)157

Brice, L.J., see Pirkle, W.H. 753(1996)109

Brockhoff, C., see Creed, J.T. 753(1996)261

Builder, S.E., see Reifsnyder, D.H. 753(1996)73

Cai, Z., Cerny, R.L. and Spalding, R.F.
Microbore liquid chromatographic–mass spectrometric determination of atrazine and its major hydroxylated degradate in water at parts-per-trillion levels using electrospray 753(1996)243

Capangpangan, M.B., Noblet, J.A. and Suffet, I.H. (Mel)
Evaluation of selected filters for collection and subsequent supercritical fluid extraction of suspended solids for trace organic analysis 753(1996)279

Careri, M., see Bocchi, C. 753(1996)157

Carr, P.W., see Pyo, D. 753(1996)291

Cavallaro, A., see Longo, M. 753(1996)91

Cernia, E., see Battinelli, L. 753(1996)47

Cerny, R.L., see Cai, Z. 753(1996)243

Chang, C.-C., see Lin, C.-E. 753(1996)133

Chen, K., Chen, P., Nie, L. and Yao, S.
Design of double cell quartz crystal detector for ion chromatography and its applications to determination of organic acids in traditional Chinese herb medicine 753(1996)171

Chen, P., see Chen, K. 753(1996)171

Chen, Y.-Y., see Zhou, X.-C. 753(1996)269

Cheng-Yu Wang, F.
Determination of polyacrylamide in polyvinyl alcohol by pyrolysis–gas chromatography with atomic emission detection 753(1996)101

Clauss, T.R.W., see Harvey, S.D. 753(1996)81

Clifford, A.A., see Heaton, D.M. 753(1996)306

Corstjens, H., Billiet, H.A.H., Frank, J. and Luyben, K.Ch.A.M.
Equation for the description of the resolution of charged solutes in micellar electrokinetic capillary chromatography 753(1996)127

Creed, J.T., Magnuson, M.L., Pfaff, J.D. and Brockhoff, C.
Determination of bromate in drinking waters by ion chromatography with inductively coupled plasma mass spectrometric detection 753(1996)261

Csiszár, H., see Révész, G. 753(1996)253

Dauwe, C. and Sellergren, B.
Influence of template basicity and hydrophobicity on the molecular recognition properties of molecularly imprinted polymers 753(1996)191

Delbò, M., see Battinelli, L. 753(1996)47

Dubinina, N.I., Kurenbin, O.I. and Tennikova, T.B.
Peculiarities of gradient ion-exchange high-performance liquid chromatography of proteins 753(1996)217

Etcheverry, T., see Reifsnyder, D.H. 753(1996)73

Fetzer, J.C., see Bell, C.M. 753(1996)37

Frank, J., see Corstjens, H. 753(1996)127

García Falcón, M.S., González Amigo, S., Lage Yusty, M.A. and López de Alda Villaizán, M.J. and Simal Lozano, J.
Enrichment of benzo[*a*]pyrene in smoked food products and determination by high-performance liquid chromatography–fluorescence detection 753(1996)207

González Amigo, S., see García Falcón, M.S. 753(1996)207

Greenberg, A., see Johnson, C. 753(1996)201

Groppi, F., see Bocchi, C. 753(1996)157

Hajós, P., see Révész, G. 753(1996)253

Harvey, S.D. and Clauss, T.R.W.
Rapid on-line chromatographic determination of trace-level munitions in aqueous samples 753(1996)81

Hawkes, S.J.
Programmed temperature gas chromatographic data from isothermal retention indices 753(1996)147

Heaton, D.M., Bartle, K.D., Myers, P. and Clifford, A.A.
Use of modifier as trapping fluid in preparative supercritical fluid chromatography 753(1996)306

Hjertén, S., see Zeng, C.-M. 753(1996)227

Issaeva, T., see Kurganov, A. 753(1996)177

Ito, Y. and Ma, Y.
pH-Zone-refining countercurrent chromatography 753(1996)1

Iwahashi, H.
Quantitative detection of reduced, radical and oxidized forms of α-(4-pyridyl-1-oxide)-*N*-*tert*.-butylnitrone radical adduct using high-performance liquid chromatography with electrochemical detection 753(1996)235

Johnson, C., Greenberg, A. and Sander, L.C.
Separation of benzo[*a*]pyrene sulfate isomers by reversed-phase liquid chromatography 753(1996)201

Kurenbin, O.I., see Dubinina, N.I. 753(1996)217

Kurganov, A., Unger, K. and Issaeva, T.
Packings of an unidimensional regular pore structure as

Author Index Vol. 753

Anderson, D.J., see Liu, Y. 753(1996)63

Barrefors, G., Björkqvist, S., Ramnäs, O. and Petersson, G.
Gas chromatographic separation of volatile furans from birchwood smoke 753(1996)151

Bartle, K.D., see Heaton, D.M. 753(1996)306

Battinelli, L., Cernia, E., Delbò, M., Ortaggi, G., Pala, A. and Soro, S.
New class of poly(vinyl alcohol) polymers as column-chromatography stationary phases for *Candida rugosa* lipase isoforms separation 753(1996)47

Bell, C.M., Sander, L.C., Fetzer, J.C. and Wise, S.A.
Synthesis and characterization of extended length alkyl stationary phases for liquid chromatography with application to the separation of carotenoid isomers 753(1996)37

Berna, P.P. and Porath, J.
Cyanocarbons as ligands for electron donor acceptor chromatography of human serum proteins 753(1996)57

Billiet, H.A.H., see Corstjens, H. 753(1996)127

Björkqvist, S., see Barrefors, G. 753(1996)151

Bocchi, C., Careri, M., Groppi, F., Mangia, A., Manini, P. and Mori, G.
Comparative investigation of UV, electrochemical and particle beam mass spectrometric detection for the high-performance liquid chromatographic determination of benzoic and cinnamic acids and of their corresponding phenolic acids 753(1996)157

Brice, L.J., see Pirkle, W.H. 753(1996)109

Brockhoff, C., see Creed, J.T. 753(1996)261

Builder, S.E., see Reifsnyder, D.H. 753(1996)73

Cai, Z., Cerny, R.L. and Spalding, R.F.
Microbore liquid chromatographic–mass spectrometric determination of atrazine and its major hydroxylated degradate in water at parts-per-trillion levels using electrospray 753(1996)243

Capangpangan, M.B., Noblet, J.A. and Suffet, I.H. (Mel)
Evaluation of selected filters for collection and subsequent supercritical fluid extraction of suspended solids for trace organic analysis 753(1996)279

Careri, M., see Bocchi, C. 753(1996)157

Carr, P.W., see Pyo, D. 753(1996)291

Cavallaro, A., see Longo, M. 753(1996)91

Cernia, E., see Battinelli, L. 753(1996)47

Cerny, R.L., see Cai, Z. 753(1996)243

Chang, C.-C., see Lin, C.-E. 753(1996)133

Chen, K., Chen, P., Nie, L. and Yao, S.
Design of double cell quartz crystal detector for ion chromatography and its applications to determination of organic acids in traditional Chinese herb medicine 753(1996)171

Chen, P., see Chen, K. 753(1996)171

Chen, Y.-Y., see Zhou, X.-C. 753(1996)269

Cheng-Yu Wang, F.
Determination of polyacrylamide in polyvinyl alcohol by pyrolysis–gas chromatography with atomic emission detection 753(1996)101

Clauss, T.R.W., see Harvey, S.D. 753(1996)81

Clifford, A.A., see Heaton, D.M. 753(1996)306

Corstjens, H., Billiet, H.A.H., Frank, J. and Luyben, K.Ch.A.M.
Equation for the description of the resolution of charged solutes in micellar electrokinetic capillary chromatography 753(1996)127

Creed, J.T., Magnuson, M.L., Pfaff, J.D. and Brockhoff, C.
Determination of bromate in drinking waters by ion chromatography with inductively coupled plasma mass spectrometric detection 753(1996)261

Csiszár, H., see Révész, G. 753(1996)253

Dauwe, C. and Sellergren, B.
Influence of template basicity and hydrophobicity on the molecular recognition properties of molecularly imprinted polymers 753(1996)191

Delbò, M., see Battinelli, L. 753(1996)47

Dubinina, N.I., Kurenbin, O.I. and Tennikova, T.B.
Peculiarities of gradient ion-exchange high-performance liquid chromatography of proteins 753(1996)217

Etcheverry, T., see Reifsnyder, D.H. 753(1996)73

Fetzer, J.C., see Bell, C.M. 753(1996)37

Frank, J., see Corstjens, H. 753(1996)127

García Falcón, M.S., González Amigo, S., Lage Yusty, M.A. and López de Alda Villaizán, M.J. and Simal Lozano, J.
Enrichment of benzo[*a*]pyrene in smoked food products and determination by high-performance liquid chromatography–fluorescence detection 753(1996)207

González Amigo, S., see García Falcón, M.S. 753(1996)207

Greenberg, A., see Johnson, C. 753(1996)201

Groppi, F., see Bocchi, C. 753(1996)157

Hajós, P., see Révész, G. 753(1996)253

Harvey, S.D. and Clauss, T.R.W.
Rapid on-line chromatographic determination of trace-level munitions in aqueous samples 753(1996)81

Hawkes, S.J.
Programmed temperature gas chromatographic data from isothermal retention indices 753(1996)147

Heaton, D.M., Bartle, K.D., Myers, P. and Clifford, A.A.
Use of modifier as trapping fluid in preparative supercritical fluid chromatography 753(1996)306

Hjertén, S., see Zeng, C.-M. 753(1996)227

Issaeva, T., see Kurganov, A. 753(1996)177

Ito, Y. and Ma, Y.
pH-Zone-refining countercurrent chromatography 753(1996)1

Iwahashi, H.
Quantitative detection of reduced, radical and oxidized forms of α-(4-pyridyl-1-oxide)-*N*-*tert*.-butylnitrone radical adduct using high-performance liquid chromatography with electrochemical detection 753(1996)235

Johnson, C., Greenberg, A. and Sander, L.C.
Separation of benzo[*a*]pyrene sulfate isomers by reversed-phase liquid chromatography 753(1996)201

Kurenbin, O.I., see Dubinina, N.I. 753(1996)217

Kurganov, A., Unger, K. and Issaeva, T.
Packings of an unidimensional regular pore structure as

model packings in size-exclusion and inverse size-exclusion chromatography 753(1996)177
Lage Yusty, M.A., see García Falcón, M.S. 753(1996)207
Lee, M.L., see Pyo, D. 753(1996)291
Li, W., see Pyo, D. 753(1996)291
Liao, J.-L., see Zeng, C.-M. 753(1996)227
Lin, C.-E., Chang, C.-C., Lin, W.-C. and Lin, E.C.
Capillary zone electrophoretic separation of β-blockers using citrate buffer at low pH 753(1996)133
Lin, E.C., see Lin, C.-E. 753(1996)133
Lin, W.-C., see Lin, C.-E. 753(1996)133
Liu, Y., Anderson, D.J. and Shainoff, J.R.
Multiple peaks induced by domain-specific binding of fibrinogen in anion-exchange high-performance liquid chromatography 753(1996)63
Longo, M. and Cavallaro, A.
Determination of aromatic amines at trace levels by derivatization with heptafluorobutyric anhydride and gas chromatography–electron-capture negative-ion chemical ionization mass spectrometry 753(1996)91
López de Alda Villaizán, M.J., see García Falcón, M.S. 753(1996)207
Lu, X.-R., see Zhou, X.-C. 753(1996)269
Luyben, K.Ch.A.M., see Corstjens, H. 753(1996)127
Ma, Y., see Ito, Y. 753(1996)1
Magnuson, M.L., see Creed, J.T. 753(1996)261
Mangia, A., see Bocchi, C. 753(1996)157
Manini, P., see Bocchi, C. 753(1996)157
Mori, G., see Bocchi, C. 753(1996)157
Myers, P., see Heaton, D.M. 753(1996)306
Nakazato, K., see Zeng, C.-M. 753(1996)227
Nie, L., see Chen, K. 753(1996)171
Noblet, J.A., see Capangpangan, M.B. 753(1996)279
Olson, C.V., see Reifsnyder, D.H. 753(1996)73
Ortaggi, G., see Battinelli, L. 753(1996)47
Pala, A., see Battinelli, L. 753(1996)47
Petersson, G., see Barrefors, G. 753(1996)151
Pfaff, J.D., see Creed, J.T. 753(1996)261
Pirkle, W.H., Brice, L.J. and Terfloth, G.J.
Liquid and sub critical CO_2 separations of enantiomers on a broadly applicable polysiloxane chiral stationary phase 753(1996)109
Porath, J., see Berna, P.P. 753(1996)57
Prashad, H., see Reifsnyder, D.H. 753(1996)73
Pyo, D., Li, W., L. Lee, M., Weckwerth, J.D. and Carr, P.W.
Addition of methanol to the mobile phase in packed capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 753(1996)291
Ramnäs, O., see Barrefors, G. 753(1996)151
Reifsnyder, D.H., Olson, C.V., Etcheverry, T., Prashad, H. and Builder, S.E.
Purification of insulin-like growth factor-I and related proteins using underivatized silica 753(1996)73
Révész, G., Hajós, P. and Csiszár, H.
Mixed-mode liquid chromatography of carboxylic acids and inorganic anions on a latex-based pellicular stationary phase 753(1996)253
Sander, L.C., see Bell, C.M. 753(1996)37
Sander, L.C., see Johnson, C. 753(1996)201
Sellergren, B., see Dauwe, C. 753(1996)191
Shainoff, J.R., see Liu, Y. 753(1996)63
Sheu, S.-J., see Wu, H.-K. 753(1996)139
Simal Lozano, J., see García Falcón 753(1996)207
Soro, S., see Battinelli, L. 753(1996)47
Spalding, R.F., see Cai, Z. 753(1996)243
Suffet, I.H. (Mel), see Capangpangan, M.B. 753(1996)279
Tena, M.T. and Valcárcel, M.
Fiber optic-based interface for on-line selective photometric determinations in solid samples by supercritical fluid extraction 753(1996)299
Tennikova, T.B., see Dubinina, N.I. 753(1996)217
Terfloth, G.J., see Pirkle, W.H. 753(1996)109
Unger, K., see Kurganov, A. 753(1996)177
Valcárcel, M., see Tena, M.T. 753(1996)299
Weckwerth, J.D., see Pyo, D. 753(1996)291
Wise, S.A., see Bell, C.M. 753(1996)37
Wu, C.-Y., see Zhou, X.-C. 753(1996)269
Wu, H.-K. and Sheu, S.-J.
Capillary electrophoretic determination of the constituents of Paeoniae Radix 753(1996)139
Yan, H., see Zhou, X.-C. 753(1996)269
Yao, S., see Chen, K. 753(1996)171
Zeng, C.-M., Liao, J.-L., Nakazato, K. and Hjertén, S.
Hydrophobic-interaction chromatography of proteins on continuous beds derivatized with isopropyl groups 753(1996)227
Zhou, X.-C., Yan, H., Chen, Y.-Y., Wu, C.-Y. and Lu, X.-R.
Chiral crown ether-anchored polysiloxanes as capillary gas chromatography stationary phases 753(1996)269